Appl. No. 10/030,967

In re Tessier et al.

Reply to Office Action of September 16, 2003

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:** 

1. (Currently amended) A flat-top antenna assembly for emitting and/or receiving an

electromagnetic field, the flat-top antenna assembly comprising:

a mechanical support having a surface; and

a flat-top antenna positioned on the mechanical support, the flat-top antenna

comprising a plurality of turns of multi-strand conductors extending parallel to one another

and stacked on one another to define a height dimension of the flat-top antenna, each of the

turns defining a respective turn surface, the multi-strand conductors connected end-to-end

with one another wherein the height dimension of the flat-top antenna is positioned mainly

ata at a right angle to the turn surface and to the surface of the mechanical support, the flat-

top antenna is positioned on the surface of the mechanical support and a weight of the flat-top

antenna is supported by the mechanical support.

2. (Previously amended) A flat-top antenna assembly according to Claim 1, wherein

the height dimension of the flat-top antenna is positioned transversely to the mechanical

support, the surface of the mechanical support corresponding to the antenna turn surface.

3. (Previously amended) A flat-top antenna assembly according to Claim 2, wherein

the mechanical support consists of a piece of non-metallic material.

2

Appl. No. 10/030,967

In re Tessier et al.

Reply to Office Action of September 16, 2003

- 4. (Previously amended) A flat-top antenna assembly according to Claim 3, wherein the mechanical support consists of at least two juxtaposed pieces.
- 5. (Previously amended) A flat-top antenna assembly according to Claim 4, further comprising mechanical holding means for holding the flat-top antenna on the mechanical support.
- 6. (Previously amended) A flat-top antenna assembly according to Claim 5, wherein the holding means are positioned on the mechanical support.
- 7. (previously amended) A flat-top antenna assembly according to Claim 5, wherein the holding means are positioned on one or more adjacent walls mainly perpendicular to the mechanical support of the antenna.
- 8. (currently amended) A flat-top antenna assembly according to Claim 7, wherein the holding means comprise a groove in or on the mechanical support.
- 9. (previously amended) A flat-top antenna assembly according to Claim 7, wherein the holding means comprise a clip positioned on the mechanical support or on a wall adjacent to the mechanical support.
- 10. (previously amended) A flat-top antenna assembly according to Claim 7, wherein the holding means comprise staples.

Appl. No. 10/030,967 In re Tessier et al. Reply to Office Action of September 16, 2003

- 11. (previously amended) A flat-top antenna assembly according to Claim 7, wherein the flat-top antenna is bonded to the mechanical support or to a wall adjacent to the mechanical support.
- 12. (previously amended) A flat-top antenna assembly according to Claim 5, wherein the flat-top antenna is incorporated directly into the support by molding.
- 13. (previously amended) Hands-free access and/or starting system comprising a flattop antenna assembly as claimed in 12.
- 14. (currently amended) A flat-top antenna assembly according to Claim 1, wherein the mechanical support forms part of <u>a body of</u> a motor vehicle.
- 15. (previously added) A flat-top antenna assembly according to Claim 14, wherein the motor vehicle has a floor, and wherein the flat-top antenna is incorporated into the floor of the motor vehicle.
- 16. (previously added) A flat-top antenna assembly according to Claim 14, wherein the motor vehicle has a roof, and wherein the flat-top antenna is incorporated into the roof of the motor vehicle.